FORM PTO-I	US DEPARTMENT OF COM	MERCE PATENT AND TRADEMARK OFFICE	ATTORNEY 'S DOCKET NUMBER
(REV. 1-98)	DANSMITTAL LETTER	TO THE UNITED STATES	GER5272
i.		ED OFFICE (DO/EO/US)	U.S. APPLICATION NO (If known, see 37 CFR 1.5
	CONCERNING A FILIN	IG UNDER 35 U.S.C. 371	09/830721
	NATIONAL APPLICATION NO. PCT/US99/28950	INTERNATIONAL FILING DATE 07 Dec 1999	PRIORITY DATE CLAIMED 08 Dec 1998
	OF INVENTION IMPROVED WELDABLE ALUMI	NUM STUD	
APPLIC	CANT(S) FOR DO/EO/US		
Applica	nt herewith submits to the United St	ates Designated/Elected Office (DO/EO/US)	the following items and other information:
1. 🗶	This is a FIRST submission of item	s concerning a filing under 35 U.S.C. 371.	
. —		NT submission of items concerning a filing t	
	examination until the expiration of t	al examination procedures (35 U.S.C. 371(f) the applicable time limit set in 35 U.S.C. 371(f)	(b) and PCT Articles 22 and 39(1).
			month from the earliest claimed priority date.
5. 🔀	A copy of the International Applica	ion as filed (35 U.S.C. 371(c)(2))	Gal Duranu)
E.		equired only if not transmitted by the Internal	цопат вигеац).
	b. has been transmitted by thc. is not required, as the app	le International Bureau. lication was filed in the United States Receiv	ing Office (RO/US).
8		pplication into English (35 U.S.C. 371(c)(2)	
	Amendments to the claims of the In	ternational Aplication under PCT Article 19	(35 U.S.C. 371(c)(3))
	a. are transmitted herewith (required only if not transmitted by the Intern	ational Bureau).
	b. have been transmitted by		cents has NOT evaired
		ever, the time limit for making such amendm	ень наз пот ехриен.
, ,	·	the claims under PCT Article 19 (35 U.S.C.	371 (c)(3)).
E -	An oath or declaration of the invent		
4		International Preliminary Examination Report	rt under PCT Article 36
10.	(35 U.S.C. 371(c)(5)).	monational a community animation acopo-	
Iten	ns 11. to 16. below concern docum		
11.			** of CED 2.08 - 12.21 * 1.1.3-3
12.		ling. A separate cover sheet in compliance v	with 37 CFK 3.28 and 3.31 is included.
13.	•		
	A SECOND or SUBSEQUENT pr	eliminary amendment.	
14.	A substitute specification.		
15.	A change of power of attorney and	or address letter.	
16.	Other items or information:		
			Du 20 0001
	"Express Mail" mailing label number	e is being denosited with the United States	eposit: 04-30-2001 Postal Service "Express Mail Post
	Office to Addressee" service on the	e date indicated above and is addressed to th	e Commissioner of Patents and
	Trademarks, Washington DC 2023	1.	
	SHARON GILDEN	(Signature of	MM (yeden) f person mailing paper or fee)
	(Printed name of person mailing pa	per or ree) (Signature o	- passes against the same and a same

	UY7830	n. 7 37 2 R 15)	GER5272			
f	·	ing fees are submitted:	PCT/US99/28950		CALCULATIONS	
	· ·	FEE (37 CFR 1 492 (a)	(1) - (5)):			
	Neither internation	al preliminary examinat	ion fee (37 CFR 1.482)			
	and International Se	arch fee (37 CFR 1.445) earch Report not prepare	a)(2)) paid to USP10 ed by the EPO or JPO	\$1070.00		
	International prelim USPTO but Interna	ninary examination fee (ational Search Report pr	37 CFR 1.482) not paid to epared by the EPO or JPO	\$930.00		
	International prelim but international se	ninary examination fee (arch fee (37 CFR 1.445(USPTO \$790.00			
	International prelim but all claims did no	ninary examination fee (ot satisfy provisions of I	PTO \$720.00			
	International prelim and all claims satisf	·				
1			BASIC FEE AMOU		\$ 98.00	
	Surcharge of \$130.00 months from the earl	0 for furnishing the oath iest claimed priority dat	or declaration later than e (37 CFR 1.492(e)).	20 30	\$	
	CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
	Total claims	11 - 20 =	0	x \$22.00	\$	
/92/9	Independent claims	2 -3 =	0	x \$82.00	\$	
/88/24 le 16 F6-19	MARYE DEPEN	DENT GLADM(S) (if ap		+ \$270.00	\$	
F6:9			OF ABOVE CALCU		\$	
Ш	Reduction of 1/2 for must also be filed (N	filing by small entity, if lote 37 CFR 1.9, 1.27, 1	applicable. A Small Enti .28).	ty Statement +	\$	
iė			St	JBTOTAL =	\$ 98.00	
	Processing fee of \$1 months from the ear	30.00 for furnishing the liest claimed priority dat	English translation later the (37 CFR 1.492(f)).	ian 20 30	\$	
			TOTAL NATIO	NAL FEE =	\$ 98.00	
14	Fee for recording the accompanied by an a	e enclosed assignment (3 appropriate cover sheet (37 CFR 1.21(h)). The assi 37 CFR 3.28, 3.31). \$40.	gnment must be 00 per property +	\$ 40.00	
			TOTAL FEES E	NCLOSED =	\$ 138.00	
i min				Amount to be refunded:	\$	
					charged:	\$ 138.00
5/03/1	ment Date: 06/22/20(2004 OFDHVAJELAGROM)1 AYILMAZ (1): 31:15:10 t of):5 (3 <u>07:21</u>	to cover th	e above fees is enclos	ed	
1 FC:	100.00	19 19 19 19 19 19 19 19 19 19 19 19 19 19 19 1				
	b. Please char	ge my Deposit Account copy of this sheet is en	No. <u>02-2550</u> in closed.	the amount of \$ $\frac{138}{}$	to cover th	e above fees.
	•	()				
:	c. The Commoverpayme	issioner is hereby autho nt to Deposit Account N	rized to charge any addition of the contract o	onal fees which may be tate copy of this sheet	e required, or credit a is enclosed.	any
			t under 37 CFR 1.494 or d to restore the applicati			ive (37 CFR
	SEND ALL CORRESPO	ONDENCE TO:		SI	Manllo	/
	Edward D. Mu			2		14)
	The Black &	Decker Corpora	tion	SIGNATU		7
		opa Road, TW199			d D. Murphy	
	Towson, Mar	yland 21286		NAME		
	(410) 716-28	367 (tele)		20,62	25	
	(410) 716-20	610 (fax)			ATION NUMBER	

MPRTS

09/830721 JC18 Rec'd PCT/PTO 3 0 APR 2001

WO 00/34672

5

10

15

20

PCT/US99/28950

5

10

15

20

IMPROVED WELDABLE ALUMINUM STUD

FIELD OF THE INVENTION

The invention relates generally to weldable materials and more particularly to weldable aluminum or aluminum alloy studs having a titanium containing material on at least a portion of a surface thereof, and methods of making the same.

BACKGROUND OF THE INVENTION

Weld-on parts are used in many areas of industrial manufacture. They enable metal connections without making holes and form a link between a basic structure and a component which is to be fastened. For example, a weld stud can serve to fasten pipe conduits, push buttons, plastic nuts or cable clips. Weld-on parts (e.g., studs) made of aluminum or aluminum alloys are known which can be welded to a basic part (e.g., a piece of sheet metal) which is also made of aluminum or aluminum alloys.

Under normal circumstances, freshly exposed aluminum in the presence of air immediately begins to oxidize. The oxide generally forms a layer over the entire surface and continues to grow thicker with the passage of time. The oxide layer is hard, adhesive, transparent, and up to several nanometers thick. In addition, in many circumstances, the thickness of the oxide layer may vary from spot to spot. The oxide layer is largely insoluble in a pH range between 4.5 and 8.5. Thus, the oxide layer provides the part

50

40

45

with protection against corrosion. However, the oxide layer does, in some circumstances, adversely affect further processing steps to which the welded part may be subjected.

While this condition applies equally to sheet aluminum and to aluminum studs, the process of manufacturing aluminum studs by cold working the metal makes the condition even worse because, after cold working, the surface may be comprised of areas of freshly exposed aluminum interspersed with different areas having varying oxide layer thicknesses. Thus, in the finished stud, the thickness of the oxide layer is random and variable.

This condition causes problems during the welding of the studs to aluminum sheets because the energy required to release electrons from the oxide is lower than the energy to release electrons from bare aluminum. For example, in arc welding a stud, the arc may initiate at the center point of a rounded weld head but, after some initial melting, the arc might jump or "blow" to an adjacent region, such as an area having a thick oxide layer. If this adjacent region is seriously off-center, the result may be an unsatisfactory weld.

Therefore, there exists a need for aluminum studs that have a relatively consistent oxide layer which is capable of being satisfactorily welded to a surface, without the occurrence of arc jumping or blowing. There also exists a need for methods of producing such aluminum studs.

10

15

20

3

SUMMARY OF THE INVENTION

It accordingly is an object of the present invention to provide an aluminum stud that has improved weldability.

It is another object of the present invention to provide an aluminum stud having a titanium containing material on at least a portion of a surface thereof.

It is another object of the present invention to provide a method for producing an aluminum stud that has improved weldability.

It is another object of the present invention to provide a method for producing an aluminum stud having a titanium material on at least a portion of a surface thereof.

In order to overcome the aforementioned disadvantages and achieve many of the aforementioned objects, the present invention provides a weldable part comprised of aluminum or an aluminum alloy, wherein the part has a titanium containing material on at least a portion of a surface thereof, wherein the layer of titanium containing material lowers contact resistance during a welding procedure.

The present invention also provides a method of forming a titanium containing material on at least a portion of at least one surface of a weldable part of aluminum or an aluminum alloy. The method includes the steps of:

(1) providing a solution of titanium containing materials, and (2) contacting the part with the solution for a sufficient period of time to permit the titanium

40

30

45

WO 00/34672 PCT/US99/28950

containing material to be applied to the part; wherein the layer of titanium containing material lowers contact resistance during a welding procedure.

A more complete appreciation of the present invention and its scope can be obtained from an understanding the accompanying drawings, which are briefly summarized below, the followed detailed description of the invention, and the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a partial cross-sectional view of a weld stud, in accordance with one aspect of the present invention; and

Fig. 2 shows an elevational view of a weld stud having a threaded portion, in accordance with one aspect of the present invention.

The same reference numerals refer to the same parts throughout the various Figures.

15

20

10

5

5

10

15

20

25

١..!

₂ 30

40

45

50

55

DETAILED DESCRIPTION OF THE INVENTION

Initially, the weld-on part is pre-treated via known etching techniques to strip away aluminum oxides and thereby expose an aluminum or aluminum alloy surface. The titanium containing material is formed upon exposed aluminum or aluminum alloy portion of the weld-on part by immersing the part in an acidic solution including a concentration of titanium ions and, preferably, a chromium free acidic solution containing titanium ions. By way of non-

limiting example, one suitable acidic solution believed to contain a sufficient quantity of titanium ions, initially or through sequential addition during the application step, is known as ALODINE 2040, which is commercially available from Henkel Surface Technologies (Madison Heights, Michigan). The acidic solution utilized should provide a caustic passivation for the aluminum surface to be treated.

To prepare an ALODINE 2040 solution for use in accordance with the teachings of the present invention, 10-30 liters (preferably 15-20 liters) of the commercially available solution is mixed with a sufficient quantity of demineralized water to form a 1000 liter bath. At the above described ratio, the resulting bath should have a pH value of 1.25.

As noted above, the weld-on part is preferably a weld stud such as that shown in Figs. 1 and 2, made of aluminum or an aluminum alloy. The weld stud 1 has a shank 2 and a head 3 extending along one end of the shank. Preferably the head 3 has a conically tapered portion which forms a welding face 4.

To provide the weld-on part with a titanium containing material, the weld-on part is dipped or otherwise coated at a temperature of about 45°C in the acidic solution containing titanium ions. The treatment time, particularly if the part is dipped, is generally between 30-90 seconds, wherein the solution should have a free acid count of between about 6.1 to 18.3. Thus, as should be understood by those skilled in the art, the acidic solution is controlled by

5

15

5

10

15

20

20 30

45

40

50

55

the determination of the free acid count as well as via a measure of the dissolved aluminum. For each 1.0 decrease in the free acid count, additional solution should be added to the bath.

6

Once at least the welding face of the weld stud is provided with the titanium containing material, contact resistance between the weld-on part, a pin and the supporting structure or substrate is reduced. Providing the layer in the region of the welding face has a positive influence on the welding process. In particular, a qualitatively high grade welded connection is achieved, enabling the energy required to weld the pin to be reduced.

It is also preferred that the titanium containing material be of a sufficient thickness to prevent the formation of aluminum oxide on the weld-on part. As noted above, the thickness should be on the order of several nanometers.

Without being bound to a particular theory of the operation of the present invention, it is believed that the ALODINE 2040 causes a relatively thin and uniform thickness layer of titanium aluminum oxide crystals to be formed on the surface of the weld-on part. Although the titanium aluminum oxide layer may grow with time, which is generally undesirable, the rate of growth is much lower than for non-passivated aluminum, and the thickness of the titanium aluminum oxide layer remains relatively consistent.

The weld stud 1 is generally connected by means of arc welding to a structure or substrate (not shown) such as a sheet of a desired thickness.

.

For example, the weld studs may be adhered to sheets as thin as 0.8 mm on average. Preferably, the sheet will also be made of aluminum or an aluminum alloy. By way of non-limiting example, the sheet structure may be an autobody panel for a motor vehicle.

Referring to Fig. 2, there is shown a second embodiment of a weld stud 1 having a shank 2. However, in this embodiment, a Christmas-tree shaped thread 6 is formed on the shank 2. A welding head 3 is formed at a free end of the shank 2. The welding head 3 has a welding face 4, which comes into contact during arc welding with a substrate (not shown), such as an aluminum or aluminum alloy piece of sheet metal. The welding face 4 is provided with a layer 5 of a titanium containing material.

The foregoing description is considered illustrative only of the principles of the invention. Furthermore, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and process shown as described above. Accordingly, all suitable modifications and equivalents may be resorted to falling within the scope of the invention as defined by the claims which follow.

CLAIMS

What is claimed is:

10

15

20

40

45

50

55

A part attachable to a substrate via a welding process, comprised of aluminum or an aluminum alloy, wherein a surface of the part to be welded to the substrate is provided with a titanium containing material capable of lowering the contact resistance between the part and the substrate during a welding process.

- The part according to Claim 1, wherein the titanium containing 2. material is formed by contacting the part with an acidic solution containing titanium ions.
 - The part according to Claim 3, wherein the acidic solution is a passivating solution.

15

20

- The part according to Claim 3, wherein the acidic solution is 4. chromium-free.
- The part according to Claim 1, wherein said acidic solution 5. includes ALODINE 2040.

9

- 6. The part according to Claim 1, wherein the part is a weld stud having a welding face.
- 7. The part according to Claim 6, wherein at least a portion of the5 welding face is provided with a titanium aluminum oxide layer.
 - 8. The part according to Claim 7 wherein said part is applied to a substrate having an average thickness of as little as 0.8 mm.
- 9. A method of producing a weldable aluminum part having titanium dispersed along a surface thereof, said method comprising the steps of:

providing an acidic solution containing titanium ions; and

contacting the weldable aluminum part with the acidic solution for a sufficient period of time to permit the application of titanium along a surface of the part;

whereby the contact resistance of the part is lowered during a subsequent welding process.

10. The method according to Claim 9, wherein the acidic solution is20 a passivating solution.

Attorney Docket No. 0275M-000305/PCA



- 11. The method according to Claim 9, wherein the acidic solution is chromium-free.
- 12. The method according to Claim 9, wherein said acidic solution5 includes ALODINE 2040.
 - 13. The method according to Claim 9, wherein the part is a weld stud having a welding face.
- 10 14. The method according to Claim 9, wherein at least a portion of the welding face is provided with a titanium aluminum oxide layer.
 - 15. The method according to Claim 15 wherein said part is applied to a substrate having an average thickness of as little as 0.8 mm.

1 / 1

PCT/US99/28950




Fig. 1




Fig. 2

Under the Paperwork Reduction Act of 1995, no person a valid OMB control number.	Patent and Trademark Office	PTO/SB/01 (12-97) r use through 9/30/00. OMB 0651-0032 ; U.S. DEPARTMENT OF COMMERCE lection of information unless it contains				
DECLARATION FOR UTILITY OF	Attorney Docket Num	ber GER5272				
DESIGN	First Named Inventor	Schmitt et al.				
PATENT APPLICATION	COMPLE	COMPLETE IF KNOWN				
(37 CFR 1.63)	Application Number					
☑ Declaration ☐ Declaration	Filing Date					
Submitted OR Submitted after Initia	al Group Art Unit					
with Initial Filing (surcharge Filing (37 CFR 1.16 (e)) required)	Examiner Name					

My residence, post office		As a below finding inventor, I nereby declare that:									
My residence, post office address, and citizenship are as stated below next to my name.											
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:											
IMPROVED WELDABLE ALUMINUM STUD											
the specification of which (Title of the Invention) is attached hereto OR											
	207/199	9 as Unite	d States Applica	tion Number or P	CT International						
Application Number PC	T/US99/28950 and v	was amended on (MM/DD/Y	m [(if applicable).						
I hereby state that I have namended by any amendment		contents of the above idea	· · · · · · · · · · · · · · · · · · ·	n, including the ci							
I acknowledge the duty to d	disclose information which is	s material to patentability as	defined in 37 CF	FR 1.56.							
hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.											
or of any PCT international a		on which designated at lea	st one country of	omer man me U							
		on which designated at lea	st one country of	other than the Ur r patent or invent onty is claimed. Certified Cop	nited States of tor's certificate,						
or of any PCT international a	upplication having a filing da	checking the box, any foreitte before that of the applicat	st one country of application for which price Priority	other than the Ur r patent or invent onty is claimed.	nited States of tor's certificate,						
Prior Foreign Application Number(s) DE 19856613.1	Country Germany tion numbers are listed on a	rohecking the box, any foreite before that of the applicate the before that of the applicate (MM/DDYYYYY) 12/08/1998	st one country of application for ion on which price Priority Not Claimed	Certified Cop YES	py Attached? NO						
Prior Foreign Application Number(s) DE 19856613.1	Country Germany tion numbers are listed on ander 35 U.S.C. 119(e) of an	rotecking the box, any foreite before that of the applicate the before that of the applicate (MM/DD/YYYY) 12/08/1998	st one country of application for ion on which price Priority Not Claimed	Certified Cop YES	py Attached? NO						

[Page 1 of 2]
Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

";	==	÷
	Rud	
,534H,	Just !	The state of
35156	Ž,	
	É	c
4	٠ ب	guag
	Herek	
*******	2	-
ï		
ë		2
ŧ	-	:7
	N H Halla	:7 :21
:		in 18 18 18 18
.1813118210 21	Haller will lit it	
.1813118210 21	Heller and	
-4600s1800s18000 #1	Haller will lit it	ting ting

Please type a plus sign (+) inside this box -> +	Approved for use through 9/3
	Patent and Trademark Office: U.S. DEPARTM

PTC/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

United States United States information wh	of Ameri or PCT fr nich is ma	fit under 35 U.S.C. 120 cca, listed below and, instemational application in aterial to patentability as international filing date of	ofar as the subj the manner pro- defined in 37 C	ect matter vided by th FR 1.56 w	of each	of the	daims of the	nisappli C. 112	cation is	s not disclose	d in the prior
· U.	S. Pare	ent Application or Number	PCT Parent				ing Date	T		ent Patent (if applica	
Additional	U.S. or F	PCT international applicat	tion numbers are	isted on	a suppler	nental	priority data	sheet F	TO/SB/	02B attached	hereto.
As a named inv	Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto. As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent										
and Trademark	Office co	onnected therewith:	Customer Numb	per				}	▶ [Place Cus	tomer
		X	OR Registered prac	titioner(s)	name/req	istratio	n number lis	sted bek	, L	Number Ba Label h	
	Nam		Registr Num	ration			Nam				istration umber
Edward	D. Mi	mhy	20,625								
Charles			30.12								
0110-101			-	-							
Additional	maistoso	d a m estrica a -(a) - a - a - d -		.					200 200		
		d practitioner(s) named o	n supplemental	Hegisterec	Practitio	ner Into	omnation sha	eet PTO	/SB/020	attached her	eto.
Direct all corr	esponde		er Number Code Label				OR	c	orrespo	ondence add	iress below
Name	Edwa	<u>ırd D. Murphý,</u>	Esq.								
Address	<u>The</u>	Black & Decke	r Corpora	ation							
Address	<u>701</u>	East Joppa Ro	ad, TW199	9	···	<u></u>				·	
City	Tows	son			State		MD	ZIP	<u>21</u>	286	
Country	U.S.	Α.	Telephon	e 410-	716-2	2867		Fax	410-	716-261	0
punishable by	true; and fine or in	I statements made here I further that these state oprisonment, or both, ur t issued thereon.	ements were ma	ade with ti	na konowie	edoe th	at willful fai	lee state	etname:	and the like o	en made are i
Name of Sc	ole or F	irst inventor:			Пар	etition	has been	filed fo	r this u	nsigned inve	entor
Gi	ven Nar	ne (first and middle [if	anyl)				Family	/ Name	or Su	mame	
Klaus G.				6	SCF	MIT	_				
Inventor's Signature		Mans.	1. Ilu	W						Date	04-23-01
Residence: (äty	<u> Giessen</u>	State		country Germany DEX Citizenship			DE			
Post Office A	ddress	Alicenstras	se 22,							-	
Post Office A	ddress										
City		Giessen _{State}		ZIP	D-3	3519	0	Cou	ntry	German	У
Additional	Invento	rs are being named or	n the $_{\perp}$ sup	plementa	l Additio	nal In	ventor(s) s	heet(s	PTO/S	SB/02A atta	ched hereto

valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1 of 1

Name of Addition	nal Joint Inventor, if an		A petition has been filed for this unsigned inventor						
Given Na	me (first and middle [if any]		Family Name or Surname						
Michael		<u>.K</u>	KRENGEL						
Inventor's Signature	elis	L Ur	Vrengel Date 04-20					-20-200	
Residence: City	Giessen	State	country Germany				Citizensh		Œ
Post Office Address									
Post Office Address	Giessenerstrass	se 123							
City	Giessen	State		ZIP	D-35396	Country	Germa	any	
Name of Addition	nal Joint Inventor, if an	ıy:	C] A petition	on has been fi	led for this	unsigne	ed inve	ntor
Given Na	me (first and middle [if any])			Family N	ame or So	ımame		
Inventor's Signature				Date					
Residence: City		State		Country			Citizenship		
Post Office Address									
Post Office Address		·							
City		State		ZIP		Count	rγ		
Name of Addition	nal Joint Inventor, if an	ıy:] A petiti	on has been fi	led for this	s unsign	ed inve	ntor
Given Na	me (first and middle [if any]	D			Family N	ame or S	umame		
Inventor's Signature							Dat	ie	
Residence: City		State		Country Citizenship					
Post Office Address									
Post Office Address	1		<u> </u>		-1		1		
City		State		ZIP		Co	ountry		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.